

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 6/27/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Antifreeze Standard Blue UFI : HS4K-KTTF-UH6A-TSN1

Product code : FPBL
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Anti-freezing agents Function or use category : Anti-freezing agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

FAI Automotive plc PLC Unit 2B, Banbury Office Village Noral Way OX16 2SB Banbury United Kingdom T 01525 351800

enquiries@faiproauto.com, www.faiproautolubricants.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302 Specific target organ toxicity – Repeated exposure, Category 2 H373

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause damage to organs through prolonged or repeated exposure. Harmful if swallowed.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

GHS07 GHS08

Signal word (CLP) : Warning

Contains : ethanediol; ethylene glycol Hazard statements (CLP) : H302 - Harmful if swallowed.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P330 - Rinse mouth.

Extra phrases : P260 - Do not breathe mist/vapours/spray...

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanediol; ethylene glycol substance with a Community workplace exposure limit	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816- 28	≥ 50 – < 60	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Dipotassium tetraborate	CAS-No.: 1332-77-0 EC-No.: 215-575-5 REACH-no: 01-2119970730- 37	< 0.25	Repr. 2, H361d

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Do not

breathe dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

6/27/2024 (Issue date) GB - en 3/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Local name Ethylene glycol	Antifreeze Standard Blue		
IOEL TWA 52 mg/m² 20 ppm IOEL STEL 104 mg/m² 40 ppm Remark Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol 10 mg/m² particulate 52 mg/m² vapour 40 ppm vapour 40 ppm vapour Remark Remark Remark Remark Remark Remark Remark Remark Remark Bell-12-diol 104 mg/m² vapour 40 ppm vapour Ethane-10; ethylene glycol (107-21-1) EU - Indicative Occupational Exposure Limit (IOEL) Local name Ethylene glycol IOEL TWA 52 mg/m² 20 ppm IOEL STEL 104 mg/m² 40 ppm Remark Ethylene glycol IOEL TWA 52 mg/m² 40 ppm Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concernes that dermal absorption will lead to systemic toxicity) Regulatory reference Ethylene glycol IOEL TWA 52 mg/m² 40 ppm Remark Sk in Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m² particulate 52 mg/m² vapour 20 ppm vapour WEL TWA (OEL TWA) 40 ppm vapour Remark WEL TWA (OEL TWA) 52 mg/m² vapour 20 ppm vapour 40 ppm vapour 40 ppm vapour 80 kr (Can be absorbed through the skin. The assigned substances are those for which there	EU - Indicative Occupational Exposure Limit (IOEL)		
20 ppm	Local name	Ethylene glycol	
IOEL STEL 104 mg/m³ 40 ppm Remark Skin Regulatory reference United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) Ethane-1,2-diol WEL STEL (OEL STEL) 104 mg/m³ particulate 52 mg/m² vapour 20 ppm vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference Ethylene glycol (107-21-1) EU - Indicative Occupational Exposure Limit (IOEL TWA) 105 mg/m³ 20 ppm IOEL STEL 104 mg/m³ 20 ppm IOEL STEL 104 mg/m³ 40 ppm Remark Skin Regulatory reference United Kingdom - Occupational Exposure Limit Ethylene glycol United Kingdom - Occupational Exposure Limits Ethane-1,2-diol WEL TWA (OEL TWA) 50 mg/m³ particulate 52 mg/m² vapour 20 ppm vapour WEL STEL (OEL STEL) 40 ppm vapour WEL STEL (OEL STEL) 50 mg/m² vapour 50 ppm vapour 50 ppm vapour 50 ppm vapour 60 ppm vapour	IOEL TWA	52 mg/m³	
Remark Skin COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 20 pm vapour WEL STEL (OEL STEL) 40 pm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerned to suppour supour supour supour supour supour supour supour supour supour reference ### ### ### ### ### ### ### ### ### #		20 ppm	
Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) Ethane-1,2-diol In mg/m² particulate 52 mg/m² vapour 20 pm vapour WEL STEL (OEL STEL) 104 mg/m² vapour 40 pm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference Etha0/2005 (Fourth edition, 2020). HSE ethanediol; ethylene glycol (107-21-1) EU - Indicative Occupational Exposure Limit (IOEL) Local name Ethylene glycol IOEL TWA 52 mg/m² 20 ppm IOEL STEL 104 mg/m² 40 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m² particulate 52 mg/m² vapour 20 ppm vapour WEL STEL (OEL STEL) 10 mg/m² vapour 20 ppm vapour WEL STEL (OEL STEL) 50 mg/m² vapour 40 ppm vapour WEL STEL (OEL STEL) 40 mg/m² vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	IOEL STEL	104 mg/m³	
Regulatory reference United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 20 pm vapour 20 pm vapour 40 ppm vapour Remark Regulatory reference Eth40/2005 (Fourth edition, 2020). HSE ethanediol; ethylene glycol (107-21-1) EU - Indicative Occupational Exposure Limit (IOEL) Local name Ethylene glycol 104 mg/m³ 20 ppm IOEL STEL 106 ESTEL 20 pm IOEL STEL 107 mg/m³ 20 ppm IOEL STEL 108 mg/m³ 40 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol		40 ppm	
United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m² particulate 52 mg/m² vapour 20 pm vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference Eth40/2005 (Fourth edition, 2020). HSE ethanediol; ethylene glycol (107-21-1) EU - Indicative Occupational Exposure Limit (IOEL) Local name Ethylene glycol IOEL TWA 52 mg/m² 20 ppm IOEL STEL 104 mg/m² 40 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m² particulate 52 mg/m² vapour WEL STEL (OEL STEL) 104 mg/m² vapour WEL STEL (OEL	Remark	Skin	
Local name Ethane-1,2-diol 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour 40 ppm	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
WEL TWA (OEL TWA) 10 mg/m² particulate 52 mg/m² vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m² vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity Ethous that dermal absorption will lead to systemic toxicity) Ethous that dermal absorption will lead to systemic toxicity Ethous that dermal absorption will lead to systemic toxicity Ethous that dermal absorption will lead to systemic toxicity Ethous that dermal absorption will lead to systemic toxicity Ethous that dermal absorption will lead to systemic toxicity Ethous that dermal absorption will lead to systemic toxicity Ethous that dermal absorption will lead to systemic toxicity Ethous that dermal absorption will lead to systemic toxicity Ethous that dermal absorption will lead to systemic toxicity Ethous that dermal absorption will lead to systemic toxicity Ethous that dermal absorption will lead to systemic toxicity Ethous that dermal absorption will lead to systemic toxicity Ethou	United Kingdom - Occupational Exposure Limits		
S2 mg/m³ vapour 20 ppm vapour 20 ppm vapour 20 ppm vapour 40 ppm vap	Local name	Ethane-1,2-diol	
WEL STEL (OEL STEL) 104 mg/m² vapour	WEL TWA (OEL TWA)	10 mg/m³ particulate 52 mg/m³ vapour	
Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE ethanediol; ethylene glycol (107-21-1) EU - Indicative Occupational Exposure Limit (IOEL) Local name Ethylene glycol IOEL TWA 52 mg/m³ 20 ppm IOEL STEL 104 mg/m³ 40 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour WEL STEL (OEL STEL) 55 k(Can be absorbed through the skin. The assigned substances are those for which there		20 ppm vapour	
Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE ethanediol; ethylene glycol (107-21-1) EU - Indicative Occupational Exposure Limit (IOEL) Local name Ethylene glycol IOEL TWA 52 mg/m³ 20 ppm IOEL STEL 104 mg/m³ 40 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour WEL STEL (OEL STEL) 105 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	WEL STEL (OEL STEL)	104 mg/m³ vapour	
are concerns that dermal absorption will lead to systemic toxicity) Regulatory reference		40 ppm vapour	
ethanediol; ethylene glycol (107-21-1) EU - Indicative Occupational Exposure Limit (IOEL) Local name Ethylene glycol IOEL TWA 52 mg/m³ 20 ppm IOEL STEL 104 mg/m³ 40 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	Remark		
EU - Indicative Occupational Exposure Limit (IOEL) Local name Ethylene glycol IOEL TWA 52 mg/m³ 20 ppm IOEL STEL 104 mg/m³ 40 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Local name Ethylene glycol 10EL TWA 52 mg/m³ 20 ppm 10EL STEL 104 mg/m³ 40 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	ethanediol; ethylene glycol (107-21-1)		
IOEL TWA 52 mg/m³ 20 ppm IOEL STEL 104 mg/m³ 40 ppm Remark Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	EU - Indicative Occupational Exposure Limit (IOEL)		
20 ppm IOEL STEL 104 mg/m³ 40 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	Local name	Ethylene glycol	
IOEL STEL 104 mg/m³ 40 ppm Remark Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	IOEL TWA	52 mg/m³	
Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there			
Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there		20 ppm	
Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	IOEL STEL		
United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	IOEL STEL	104 mg/m³	
Local name Ethane-1,2-diol WEL TWA (OEL TWA) 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	IOEL STEL Remark	104 mg/m³ 40 ppm	
WEL TWA (OEL TWA) 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there		104 mg/m³ 40 ppm Skin	
52 mg/m³ vapour 20 ppm vapour WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	Remark	104 mg/m³ 40 ppm Skin	
WEL STEL (OEL STEL) 104 mg/m³ vapour 40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	Remark Regulatory reference	104 mg/m³ 40 ppm Skin COMMISSION DIRECTIVE 2000/39/EC	
40 ppm vapour Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	Remark Regulatory reference United Kingdom - Occupational Exposure Limits	104 mg/m³ 40 ppm Skin COMMISSION DIRECTIVE 2000/39/EC Ethane-1,2-diol 10 mg/m³ particulate	
Remark Sk (Can be absorbed through the skin. The assigned substances are those for which there	Remark Regulatory reference United Kingdom - Occupational Exposure Limits Local name	104 mg/m³ 40 ppm Skin COMMISSION DIRECTIVE 2000/39/EC Ethane-1,2-diol 10 mg/m³ particulate 52 mg/m³ vapour	
	Remark Regulatory reference United Kingdom - Occupational Exposure Limits Local name	104 mg/m³ 40 ppm Skin COMMISSION DIRECTIVE 2000/39/EC Ethane-1,2-diol 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour	
	Remark Regulatory reference United Kingdom - Occupational Exposure Limits Local name WEL TWA (OEL TWA)	104 mg/m³ 40 ppm Skin COMMISSION DIRECTIVE 2000/39/EC Ethane-1,2-diol 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour 104 mg/m³ vapour	
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE	Remark Regulatory reference United Kingdom - Occupational Exposure Limits Local name WEL TWA (OEL TWA)	104 mg/m³ 40 ppm Skin COMMISSION DIRECTIVE 2000/39/EC Ethane-1,2-diol 10 mg/m³ particulate 52 mg/m³ vapour 20 ppm vapour 104 mg/m³ vapour 40 ppm vapour Sk (Can be absorbed through the skin. The assigned substances are those for which there	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Blue. Odour : odourless. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available : 111 °C Flash point : > 400 °C Auto-ignition temperature : Not available Decomposition temperature рΗ : 8.4 @ 50%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Solubility : Soluble in water.

Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : Not available

Vapour pressure at 50°C : Not available

Density : 1125 kg/m³ @ 20 deg C
Relative density : 1.13 @ 20 deg C
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Antifreeze Standard Blue		
ATE CLP (oral)	900.901 mg/kg bodyweight	
Dipotassium tetraborate (1332-77-0)		
LD50 oral rat	> 2500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:This study was carried out to comply with US EPA-FIFRA guidelines at the time and carried out by the US Food and Drug Laboratories to GLP.	
LC50 Inhalation - Rat	> 2.04 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
Skin corrosion/irritation	: Not classified pH: 8.4 @ 50%	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Not classified

pH: 8.4 @ 50%

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

ethanediol; ethylene glycol (107-21-1)

STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Antifreeze Standard Blue

Viscosity, kinematic 21 mm²/s @ 20 deg C

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

 $\label{thm:local_equation} \mbox{Hazardous to the aquatic environment, short-term}$

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

Antifreeze Standard Blue		
LC50 - Fish [1]	72860 mg/l	
EC50 - Other aquatic organisms [1]	> 100 mg/l	
Dipotassium tetraborate (1332-77-0)		
LC50 - Fish [1]	79.7 mg/l Test organisms (species): Pimephales promelas	
EC50 72h - Algae [1]	66 mg/l Test organisms (species): Phaeodactylum tricornutum	
EC50 72h - Algae [2]	54 mg/l Test organisms (species): Phaeodactylum tricornutum	
NOEC chronic fish	11.2 mg/l Test organisms (species): Pimephales promelas Duration: '32 d'	

12.2. Persistence and degradability

Antifreeze Standard Blue			
Persistence and degradability	Not rapidly degradable		
Dipotassium tetraborate (1332-77-0)	Dipotassium tetraborate (1332-77-0)		
Persistence and degradability Not rapidly degradable			
ethanediol; ethylene glycol (107-21-1)			
Persistence and degradability Not rapidly degradable			

12.3. Bioaccumulative potential

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
UN -	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: No	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information	n available			

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
2.2	Precautionary statements (CLP)	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acr	onyms:
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
H302	Harmful if swallowed.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
Repr. 2	Reproductive toxicity, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.