



TECHNICAL DATA

AUTO-TRANS LVA

Fully synthetic automatic transmission fluid

Product code: FPLVA

Product Description:

AUTO-TRANS LVA is a premium quality multi-vehicle automatic transmission fluid developed for use in a wide range of passenger car applications.

AUTO-TRANS LVA is formulated using the highest quality fully synthetic base stocks together with advanced additive technology which combine to provide a low viscosity fluid with significant fuel saving benefits.

Benefits:

- Extended fluid life
- Exceptional oxidation resistance
- Proven anti-wear performance
- Fuel saving benefits
- Excellent sludge and varnish control
- Optimised frictional characteristics
- Outstanding low temperature fluidity

Applications:

AUTO-TRANS LVA is an ideal choice for use in many of the latest passenger car automatic transmissions, including 6, 8 & 9 speed units produced by ZF and modern Mercedes-Benz 5, 7 & 9-speed stepped auto transmissions.

Typical Test Data:

| | |
|-----------------------------------|-------------|
| Appearance | Green fluid |
| Density @ 15 °C | 0.845 |
| Kinematic Viscosity @ 100°C (cSt) | 6.00 |
| Kinematic Viscosity @ 40°C (cSt) | 29.5 |
| Brookfield Viscosity @ -40°C (cP) | 12,090 |



TECHNICAL DATA

| | |
|----------------------|-----|
| Flash Point COC (°C) | 225 |
| Pour Point (°C) | -45 |

Product Specification:

| | |
|---------------|---|
| Aisin Warner | AW-1, JWS 3324 |
| Audi/VW | TL 052 162-Z (G 060 162) G 055 005 G 055 162 G 055 540 G 052 540 |
| Bentley | JNV 862 564 D |
| BMW | 83 22 0 142 516 83 22 2 152 426 83 22 2 305 397 (ATF 3) 83 22 2 289 720 (ATF 3+) |
| DSIH | 6p805 (Geely, Ssangyong, Mahindra 6sp) |
| Fiat | 9.55550-AV5 |
| GM | Dexron HP |
| Honda | DW-1, Honda Type 3.0 |
| Hyundai/Kia | SP-IV, SPH-IV, SP-IV RR, NWS-9638 |
| Jaguar | JDE26444 |
| JASO | 1-A-LV |
| Mitsubishi | ATF-J3, ATF-PA, SP-IV |
| Nissan | Matic S, Matic W |
| Toyota | WS (JWS 3324) |
| Mercedes-Benz | 236.12, 236.14, 236.15, 236.16, 236.17, 236.41 |
| Saab | 93 165 147 |
| Volvo | 6 Speed MY 2011-2013 (P/N31256774 or 31256675) |
| ZF | 6 Speed (S671 090 255) Lifeguard Fluid 8 TE-ML 11 |

- AUTO-TRANS LVA is recommended for Dexron IIIH applications out of warranty.



TECHNICAL DATA

Health & Safety:

Please refer to the safety data sheet, a copy of which is freely available to all of our customers.